



CO SCHEDULE (5000 PSI)
COVER - 1 1/2\"/>
UNCOATED

| BAR | TOP | BOTTOM |
|-----|-----|--------|
| #4 | 14 | 12 |
| #5 | 17 | 13 |
| #6 | 20 | 16 |
| #7 | 23 | 19 |
| #8 | 26 | 22 |
| #9 | 31 | 26 |
| #10 | 33 | 28 |
| #11 | 35 | 30 |

AVE VERIFY

1. AVE VERIFY FOR TO BEAM LEVEL, FOLLOWED FROM LOWEST LEVEL OF SLAB ELEVATION.
2. AVE VERIFY BEAM STEP PROVIDED TO MATCH THE SLAB LEVEL.
3. AVE VERIFY BEAM LENGTH FOLLOWED.
4. EXPOSED SLAB BEAM TOP BARS ARE EPOXY COATED.
5. AVE VERIFY FOR BEAM LAP VALUE AND LAP LOCATIONS.
6. AVE VERIFY FOR SPACER BAR REINFORCEMENT FOLLOWED.

COVER DETAILS

1. TYPICAL CLEARANCE ARE AS FOLLOWS
2. BEAM: TOP - 1 1/2\"/>
BOTTOM - 1 1/2\"/>
SEE 3.

REFERENCE

1. FOR FRAMING PLAN DETAILS REFER TO DWG. RB-01
2. FOR OTHER BEAM ELEVATION REINFORCEMENT DETAILS REFER TO DWG. RB-03 THRU RB-07
3. FOR ISOMETRIC VIEW DETAILS REFER TO DWG. RB-08 THRU RB-10
4. FOR BBS REFER TO DWG. RB-11

LEGEND

- T TOP LAYER
- B BOTTOM LAYER
- B1 BOTTOM FIRST LAYER
- B2 BOTTOM SECOND LAYER
- T ADD'L TOP ADDITIONAL LAYER
- SF BAR SIDE FACE BAR
- T.O.B TOP OF BEAM
- T.O.S TOP OF SLAB
- TYP. TYPICAL
- C COLUMN
- L DISTANCE BETWEEN SUPPORT
- LD TENSION DEVELOPMENT LENGTH
- D BAR DIA
- TG TRANSFER GIRDER

| NO. | DATE | DESCRIPTION |
|-----|----------|------------------|
| 1 | 11/17/17 | ISSUE FOR PERMIT |
| 2 | 11/17/17 | ISSUE FOR PERMIT |
| 3 | 11/17/17 | ISSUE FOR PERMIT |
| 4 | 11/17/17 | ISSUE FOR PERMIT |
| 5 | 11/17/17 | ISSUE FOR PERMIT |
| 6 | 11/17/17 | ISSUE FOR PERMIT |
| 7 | 11/17/17 | ISSUE FOR PERMIT |
| 8 | 11/17/17 | ISSUE FOR PERMIT |
| 9 | 11/17/17 | ISSUE FOR PERMIT |
| 10 | 11/17/17 | ISSUE FOR PERMIT |

| NO. | DATE | DESCRIPTION |
|-----|----------|------------------|
| 1 | 11/17/17 | ISSUE FOR PERMIT |
| 2 | 11/17/17 | ISSUE FOR PERMIT |
| 3 | 11/17/17 | ISSUE FOR PERMIT |
| 4 | 11/17/17 | ISSUE FOR PERMIT |
| 5 | 11/17/17 | ISSUE FOR PERMIT |
| 6 | 11/17/17 | ISSUE FOR PERMIT |
| 7 | 11/17/17 | ISSUE FOR PERMIT |
| 8 | 11/17/17 | ISSUE FOR PERMIT |
| 9 | 11/17/17 | ISSUE FOR PERMIT |
| 10 | 11/17/17 | ISSUE FOR PERMIT |